

ghost. Slurrricane 1G DVP

METRC Batch: 1A4060300001AF8000001957
METRC Sample: 1A40603000005E96000002426
Sample ID: 2312ENC3475_0282
Strain: Slurrricane
Matrix: Concentrates & Extracts
Type: Vape
Batch#: SL1223-1957

Produced: 12/20/2023
Collected: 12/21/2023
Received: 12/21/2023
Completed: 12/26/2023
Sample Size: 8 units; Batch: 500 units

Distributor
MB DISTRIBUTION INC.
Lic. # C11-0000576-LIC
22512 CURTISS PL,
CALIFORNIA CITY, CA,
93505

Producer
Master Extracts Inc.
Lic. # CDPH-10002326
22512 CURTISS PLACE
CALIFORNIA CITY CA
93505



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	12/22/2023	LC-DAD	Pass
Pesticides	12/22/2023	LC-MS	Pass
Mycotoxins	12/22/2023	LC-MS	Pass
Residual Solvents	12/22/2023	HS-GC-MS	Pass
Microbial Impurities	12/26/2023	qPCR	Pass
Heavy Metals	12/22/2023	ICP-MS	Pass
Foreign Matter	12/22/2023	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

92.504 %

Total THC

0.183 %

Total CBD

96.221 %

Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.249	0.755	ND	ND	ND
Δ9-THC	0.267	0.808	92.504	925.04	925.04
Δ8-THC	0.295	0.893	ND	ND	ND
THCVa	0.287	0.871	ND	ND	ND
THCV	0.297	0.901	0.515	5.15	5.15
CBDa	0.261	0.792	ND	ND	ND
CBD	0.252	0.763	0.183	1.83	1.83
CBN	0.237	0.719	0.709	7.09	7.09
CBGa	0.284	0.860	ND	ND	ND
CBG	0.262	0.793	1.191	11.91	11.91
CBCa	0.231	0.701	ND	ND	ND
CBC	0.272	0.823	1.119	11.19	11.19
Total THC			92.504	925.04	925.038
Total CBD			0.183	1.83	1.834
Total Cannabinoids			96.221	962.21	962.214
Sum of Cannabinoids			96.221	962.21	962.214

1 Unit = 1g;

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Brad Kao
Brad Kao
Laboratory Supervisor | 12/26/2023



ghost. Slurricane 1G DVP

METRC Batch: 1A4060300001AF8000001957
METRC Sample: 1A4060300005E96000002426
Sample ID: 2312ENC3475_0282
Strain: Slurricane
Matrix: Concentrates & Extracts
Type: Vape
Batch#: SL1223-1957

Produced: 12/20/2023
Collected: 12/21/2023
Received: 12/21/2023
Completed: 12/26/2023
Sample Size: 8 units; Batch: 500 units

Distributor
MB DISTRIBUTION INC.
Lic. # C11-0000576-LIC
22512 CURTISS PL,
CALIFORNIA CITY, CA,
93505

Producer
Master Extracts Inc.
Lic. # CDPH-10002326
22512 CURTISS PLACE
CALIFORNIA CITY CA
93505

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	0.011	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	0.295	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	0.055	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 12/22/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Brad Kao
Brad Kao
Laboratory Supervisor | 12/26/2023



ghost. Slurricane 1G DVP

METRC Batch: 1A4060300001AF8000001957
METRC Sample: 1A4060300005E96000002426
Sample ID: 2312ENC3475_0282
Strain: Slurricane
Matrix: Concentrates & Extracts
Type: Vape
Batch#: SL1223-1957

Produced: 12/20/2023
Collected: 12/21/2023
Received: 12/21/2023
Completed: 12/26/2023
Sample Size: 8 units; Batch: 500 units

Distributor
MB DISTRIBUTION INC.
Lic. # C11-0000576-LIC
22512 CURTISS PL,
CALIFORNIA CITY, CA,
93505

Producer
Master Extracts Inc.
Lic. # CDPH-10002326
22512 CURTISS PLACE
CALIFORNIA CITY CA
93505

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 12/22/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	<LOQ	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 12/22/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.




Brad Kao
Laboratory Supervisor | 12/26/2023



ghost. Slurricane 1G DVP

METRC Batch: 1A4060300001AF8000001957
METRC Sample: 1A4060300005E96000002426
Sample ID: 2312ENC3475_0282
Strain: Slurricane
Matrix: Concentrates & Extracts
Type: Vape
Batch#: SL1223-1957

Produced: 12/20/2023
Collected: 12/21/2023
Received: 12/21/2023
Completed: 12/26/2023
Sample Size: 8 units; Batch: 500 units

Distributor
MB DISTRIBUTION INC.
Lic. # C11-0000576-LIC
22512 CURTISS PL,
CALIFORNIA CITY, CA,
93505

Producer
Master Extracts Inc.
Lic. # CDPH-10002326
22512 CURTISS PLACE
CALIFORNIA CITY CA
93505

Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 12/26/2023

Heavy Metals


Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 12/22/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.




Brad Kao
Laboratory Supervisor | 12/26/2023

