



ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL	ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL
ACETONE	< 50.0 µg/g	5000 µg/g	50.0	PASS	ISOBUTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
BENZENE	< 0.750 µg/g	2 µg/g	0.750	PASS	ISOPROPYL ALCOHOL	< 50.0 µg/g	5000 µg/g	50.0	PASS
BUTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS	METHANOL	< 50.0 µg/g	3000 µg/g	50.0	PASS
ETHANOL	< 50.0 µg/g	5000 µg/g	50.0	PASS	PENTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
ETHYLBENZENE AND XYLENES	< 50.0 µg/g	2170 µg/g	50.0	PASS	PROPANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
HEPTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS	TOLUENE	< 50.0 µg/g	890 µg/g	50.0	PASS
HEXANE	< 50.0 µg/g	290 µg/g	50.0	PASS					