


## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A NEW MEXICO COMPLIANCE CERTIFICATE.

PRODUCED: MAR 25, 2024

SAMPLE: BRUCE BANNER (DISTILLATE) // CLIENT: VANA // BATCH: PASS



BATCH NO.: 2  
MATRIX: DISTILLATE  
CATEGORY: INHALABLE  
SAMPLE ID: PBL-240209-014  
COLLECTED ON: FEB 09, 2024  
RECEIVED ON: FEB 09, 2024  
BATCH/SAMPLE SIZE: 4 G / 4 G  
RECEIVED BY: THOMAS MORGAN

### CANNABINOID OVERVIEW

TOTAL THC:	94.7 %
TOTAL CBD:	0.37 %
SUM OF CANNABINOIDS:	99.36 %



**MICROBIAL**  
PASS



**PESTICIDES**  
PASS



**POTENCY**



**SOLVENTS**  
PASS

### MANUFACTURER INFO

**MANUFACTURER**

VANA LLC  
1021 SANTA FE AVE  
CLOVIS, NM 88101

**LICENSE**

CCD-2022-0005  
ADULT-USE AND MEDICINAL -  
MANUFACTURING LICENSE

### PBL 70: POTENCY BY HPLC // FEB 13, 2024

ANALYTE	AMT	AMT	LIMIT	LOQ (mg/g)	PASS/FAIL	QUANT
Δ <sup>9</sup> -THC	94.0 %	940 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #66BB6A;"></div>
CBG	1.79 %	17.9 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBC	1.03 %	10.3 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
THCA	0.798 %	7.98 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBN	0.727 %	7.27 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
THCV	0.545 %	5.45 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBD	0.359 %	3.59 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
THCVA	0.0508 %	0.508 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>

ANALYTE	AMT	AMT	LIMIT	LOQ (mg/g)	PASS/FAIL	QUANT
CBGA	0.0448 %	0.448 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBDA	0.0124 %	0.124 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBCA	< 0.0200 mg/g	< 0.0200 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBDV	< 0.0200 mg/g	< 0.0200 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
CBDVA	< 0.0200 mg/g	< 0.0200 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
Δ <sup>8</sup> -THC	< 0.0200 mg/g	< 0.0200 mg/g		0.0200	N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
TOTAL THC**	94.7 %	947 mg/g			N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>
TOTAL CBD**	0.370 %	3.70 mg/g			N/A	<div style="width: 100%; background-color: #9FA8DA;"></div>

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

\*\* TOTAL THC = (THCA X 0.877) + THC



RESULTS CERTIFIED BY: MAGEN MARTINEZ  
LABORATORY MANAGER, PRECISION BOTANICAL  
MAR 25, 2024

ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL	ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL
ABAMECTIN	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	PACLOBUTRAZOL	< 0.0125 µg/g	0.04 µg/g	0.0125	PASS
ACEQUINOCYL	< 0.0125 µg/g	2 µg/g	0.0125	PASS	PIPERONYLBUTO-	< 0.0125 µg/g	3 µg/g	0.0125	PASS
BIFENAZATE	< 0.0125 µg/g	0.2 µg/g	0.0125	PASS	XIDE				
BIFENTHRIN	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	PYRETHRINS	< 0.0125 µg/g	0.5 µg/g	0.0125	PASS
ETOXAZOLE	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	SPINOSYN	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS
IMAZALIL	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	SPIROMESIFEN	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS
IMIDACLOPRID	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	SPIROTETRAMAT	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS
MYCLOBUTANIL	< 0.0125 µg/g	0.1 µg/g	0.0125	PASS	TRIFLOXYSTROB-	< 0.0125 µg/g	0.02 µg/g	0.0125	PASS
					IN				



PMOP-001: MICROBIOLOGICAL CONTAMINANTS BY PCR // FEB 26, 2024

ANALYTE	AMT (CFU/g)		LIMIT	PASS/FAIL	ANALYTE	AMT (CFU/g)		LIMIT	PASS/FAIL
ASPERGILLUS FLAVUS	Absent	Any amt in 1 gram		PASS	ASPERGILLUS TERREUS	Absent	Any amt in 1 gram		PASS
ASPERGILLUS FUMIGATUS	Absent	Any amt in 1 gram		PASS	SALMONELLA SPP.	Absent	Any amt in 1 gram		PASS
ASPERGILLUS NIGER	Absent	Any amt in 1 gram		PASS	SHIGA TOXIN-PRODUCING E. COLI	Absent	Any amt in 1 gram		PASS

PBL 68: RESIDUAL SOLVENTS BY GC/MS // FEB 26, 2024

ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL	ANALYTE	AMT (µg/g)	LIMIT	LOQ (µg/g)	PASS/FAIL
ACETONE	< 50.0 µg/g	5000 µg/g	50.0	PASS	ISOBUTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
BENZENE	< 0.750 µg/g	2 µg/g	0.750	PASS	ISOPROPYL ALCOHOL	< 50.0 µg/g	5000 µg/g	50.0	PASS
BUTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS	METHANOL	< 50.0 µg/g	3000 µg/g	50.0	PASS
ETHANOL	< 50.0 µg/g	5000 µg/g	50.0	PASS	PENTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
ETHYLBENZENE AND XYLENES	< 50.0 µg/g	2170 µg/g	50.0	PASS	PROPANE	< 50.0 µg/g	5000 µg/g	50.0	PASS
HEPTANE	< 50.0 µg/g	5000 µg/g	50.0	PASS	TOLUENE	< 50.0 µg/g	890 µg/g	50.0	PASS
HEXANE	< 50.0 µg/g	290 µg/g	50.0	PASS					

\* FOR QUALITY ASSURANCE PURPOSES. NOT A NEW MEXICO COMPLIANCE CERTIFICATE.

