



Certificate of Analysis

FOR COMPLIANCE



Sample:AL40701003-007
Batch#: GHST2GVP18024-BM01
Seed to Sale# NA
Sample Size Received: 18 gram
Total Amount: 2000 units
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Sampled: 07/01/24 03:00 PM
Sampling Start: 03:00 PM
Sampling End: 03:45 PM
Sampling Method: SOP.T.20.010.NY

HPI Canna Inc
License # : OCM-AUCP-22-000022
886 Noxon Road
Poughkeepsie, NY, 12603, US



PASSED


Pages 1 of 2

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filth NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes TESTED
--	--	--	--	--	--	--	--	--

MISC.

 **Cannabinoid** **PASSED**



Weight: 0.135g
Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/02/24 14:18:45

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director
NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164


Signature
07/06/24



Certificate of Analysis

PASSED

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
Telephone: (845) 533-5363
Email: info@hpicanna.com
License # : OCM-AUCP-22-000022

Sample : AL40701003-007

Batch# : GHST2GVP18024-BM01
Sampled : 07/01/24 03:00 PM

Sample Size Received : 18 gram

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 2

Terpenes				TESTED					
Terpenes	LOQ (%)	mg/unit	%	Result (%)	Terpenes	LOQ (%)	mg/unit	%	Result (%)
BETA-MYRCENE	0.10	38.8	1.9		BETA-MYRCENE	0.10	38.8	1.9	
LIMONENE	0.10	37.2	1.9		LIMONENE	0.10	37.2	1.9	
BETA-CARYOPHYLLENE	0.04	15.0	0.75		BETA-CARYOPHYLLENE	0.04	15.0	0.75	
BETA-PINENE	0.10	12.0	0.60		BETA-PINENE	0.10	12.0	0.60	
ALPHA-PINENE	0.10	9.0	0.45		ALPHA-PINENE	0.10	9.0	0.45	
LINALOOL	0.10	8.2	0.41		LINALOOL	0.10	8.2	0.41	
TERPINOLENE	0.04	7.0	0.35		TERPINOLENE	0.04	7.0	0.35	
ALPHA-BISABOLOL	0.04	3.6	0.18		ALPHA-BISABOLOL	0.04	3.6	0.18	
ALPHA-HUMULENE	0.04	2.8	0.14		ALPHA-HUMULENE	0.04	2.8	0.14	
CAMPHENE	0.10	2.6	0.13		CAMPHENE	0.10	2.6	0.13	
ALPHA-PHELLANDRENE	0.10	2.4	0.12		ALPHA-PHELLANDRENE	0.10	2.4	0.12	
ALPHA TERPINEOL	0.04	1.8	0.09		ALPHA TERPINEOL	0.04	1.8	0.09	
FENCHYL ALCOHOL	0.04	1.8	0.09		FENCHYL ALCOHOL	0.04	1.8	0.09	
CARYOPHYLLENE OXIDE	0.04	<0.8	<0.04		CARYOPHYLLENE OXIDE	0.04	<0.8	<0.04	
FARNESENE	0.10	<2.0	<0.10		FARNESENE	0.10	<2.0	<0.10	
GERANIOL	0.04	<0.8	<0.04		GERANIOL	0.04	<0.8	<0.04	
GUAIOL	0.04	<0.8	<0.04		GUAIOL	0.04	<0.8	<0.04	
MENTHOL	0.10	<2.0	<0.10		MENTHOL	0.10	<2.0	<0.10	
OCIMENE	0.10	<2.0	<0.10		OCIMENE	0.10	<2.0	<0.10	
ALPHA-TERPINENE	0.10	<2.0	<0.10		ALPHA-TERPINENE	0.10	<2.0	<0.10	
VALENCENE	0.10	<2.0	<0.10		VALENCENE	0.10	<2.0	<0.10	
Total (%)			7.1		Total (%)			7.1	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/06/24