



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

# ghost. Slurrricane 1G DVP

METRC Sample: 1A4060300005E96000002088; METRC Batch: 1A4060300001AF8000002232

<b>Sample ID:</b> 2408EXL2366.10393	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Slurrricane	Collected: 08/08/2024	<b>MB DISTRIBUTION INC.</b>	<b>Master Extracts Inc.</b>
Matrix: Concentrates & Extracts	Received: 08/09/2024	Lic. # C11-0000576-LIC	Lic. # CDPH-10002326
Type: Vape	Completed: 08/14/2024	22512 CURTISS PL	22512 CURTISS PLACE CALIFORNIA
Sample Size: 10 units; Batch: 500 units	Batch#: SL0824-2232	CALIFORNIA CITY, CA 93505	CITY CA 93505



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/13/2024	Complete
Foreign Matter	08/09/2024	Pass
Heavy Metals	08/14/2024	Complete
Microbials	08/09/2024	Pass
Mycotoxins	08/14/2024	Pass
GCMS Pesticides	08/14/2024	Pass
LCMS Pesticides	08/14/2024	Pass
Residual Solvents	08/12/2024	Pass

## Cannabinoids

Complete

<b>88.166%</b> Total THC	<b>ND</b> Total CBD	<b>94.141%</b> Total Cannabinoids
-----------------------------	------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/package
CBC	0.009	0.025	1.3092	13.092	13.092	13.092
CBD	0.025	0.100	ND	ND	ND	ND
CBDa	0.019	0.050	ND	ND	ND	ND
CBDV	0.125	1.000	ND	ND	ND	ND
CBG	0.019	0.100	2.9481	29.481	29.481	29.481
CBGa	0.125	0.250	ND	ND	ND	ND
CBN	0.009	0.050	0.9593	9.593	9.593	9.593
Δ8-THC	0.025	0.100	ND	ND	ND	ND
Δ9-THC	0.019	0.100	87.8441	878.441	878.441	878.441
THCa	0.013	0.050	0.3668	3.668	3.668	3.668
THCV	0.025	0.100	0.7583	7.583	7.583	7.583
<b>Total THC</b>			<b>88.166</b>	<b>881.658</b>	<b>881.658</b>	<b>881.658</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total CBG</b>			<b>2.948</b>	<b>29.481</b>	<b>29.481</b>	<b>29.481</b>
<b>Total</b>			<b>94.141</b>	<b>941.408</b>	<b>941.408</b>	<b>941.408</b>

Date Tested: 08/13/2024

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.  
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
08/14/2024

Bryan Zahakaylo  
Analyst  
08/14/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

# ghost. Slurrricane 1G DVP

METRC Sample: 1A4060300005E96000002088; METRC Batch: 1A4060300001AF8000002232

<b>Sample ID:</b> 2408EXL2366.10393	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Slurrricane	Collected: 08/08/2024	<b>MB DISTRIBUTION INC.</b>	<b>Master Extracts Inc.</b>
Matrix: Concentrates & Extracts	Received: 08/09/2024	Lic. # C11-0000576-LIC	Lic. # CDPH-10002326
Type: Vape	Completed: 08/14/2024	22512 CURTISS PL	22512 CURTISS PLACE CALIFORNIA
Sample Size: 10 units; Batch: 500 units	Batch#: SL0824-2232	CALIFORNIA CITY, CA 93505	CITY CA 93505

## GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.231	0.7	0.7	NR	NT
Chlordane (trans + cis)	0.0116	0.035	0.0116	ND	Pass
Chlorfenapyr	0.0058	0.0175	0.0058	NR	NT
Cyfluthrin	0.0231	0.07	2	NR	NT
Cypermethrin	0.0231	0.07	1	NR	NT
Parathion Methyl	0.0058	0.0175	0.0058	NR	NT
Pentachloronitrobenzene (Quintozene)	0.0231	0.07	0.1	NR	NT

## Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.7000	5.0000		NR	NT
Aflatoxin B2	1.7000	5.0000		NR	NT
Aflatoxin G1	1.7000	5.0000		NR	NT
Aflatoxin G2	1.7000	5.0000		NR	NT
Ochratoxin A	6.6000	20.0000	20	NR	NT
Total Aflatoxins			20	ND	Pass

## Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus flavus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

## Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0165	0.05	0.2	NR	NT
Cadmium	0.0165	0.05	0.2	NR	NT
Lead	0.0413	0.125	0.5	NR	NT
Mercury	0.0033	0.01	0.1	NR	NT

GCMS Date Tested: 08/14/2024  
Pesticides: GC-MS/MS, GCMS Method GCP-SOP-001  
LCMS Date Tested: 08/14/2024  
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001  
Microbial Date Tested: 08/09/2024  
Microbials Footnote: Microbial: PCR-SOP-001  
RFU = Relative Fluorescence Units  
Heavy Metals Date Tested: 08/14/2024  
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
08/14/2024

Bryan Zahakaylo  
Analyst  
08/14/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



# ghost. Slurrricane 1G DVP

METRC Sample: 1A4060300005E96000002088; METRC Batch: 1A4060300001AF8000002232

<b>Sample ID:</b> 2408EXL2366.10393	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Slurrricane	Collected: 08/08/2024	<b>MB DISTRIBUTION INC.</b>	<b>Master Extracts Inc.</b>
Matrix: Concentrates & Extracts	Received: 08/09/2024	Lic. # C11-0000576-LIC	Lic. # CDPH-10002326
Type: Vape	Completed: 08/14/2024	22512 CURTISS PL	22512 CURTISS PLACE CALIFORNIA
Sample Size: 10 units; Batch: 500 units	Batch#: SL0824-2232	CALIFORNIA CITY, CA 93505	CITY CA 93505

## LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.033	0.1	0.1	NR	NT	Imazalil	0.033	0.1	0.033	NR	NT
Acephate	0.033	0.1	0.1	NR	NT	Imidacloprid	0.033	0.1	5	NR	NT
Acequinocyl	0.033	0.1	0.1	NR	NT	Kresoxim Methyl	0.033	0.1	0.1	NR	NT
Acetamiprid	0.033	0.1	0.1	NR	NT	Malathion	0.033	0.1	0.5	NR	NT
Aldicarb	0.033	0.1	0.033	NR	NT	Metalaxyl	0.033	0.1	2	NR	NT
Azoxystrobin	0.033	0.1	0.1	NR	NT	Methiocarb	0.033	0.1	0.033	NR	NT
Bifenazate	0.033	0.1	0.1	NR	NT	Methomyl	0.033	0.1	1	NR	NT
Bifenthrin	0.033	0.1	3	NR	NT	Mevinphos	0.033	0.1	0.033	ND	Pass
Boscalid	0.033	0.1	0.1	NR	NT	Myclobutanil	0.033	0.1	0.1	NR	NT
Carbaryl	0.033	0.1	0.5	NR	NT	Naled	0.033	0.1	0.1	NR	NT
Carbofuran	0.033	0.1	0.033	NR	NT	Oxamyl	0.033	0.1	0.5	NR	NT
Chlorantraniliprole	0.033	0.1	10	NR	NT	Pacllobutrazol	0.033	0.1	0.033	NR	NT
Chlorpyrifos	0.033	0.1	0.033	NR	NT	Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Clofentezine	0.033	0.1	0.1	NR	NT	Phosmet	0.033	0.1	0.1	NR	NT
Coumaphos	0.033	0.1	0.033	NR	NT	Piperonyl Butoxide	0.033	0.1	3	NR	NT
Daminozide	0.033	0.1	0.033	NR	NT	Prallethrin	0.033	0.1	0.1	NR	NT
Diazinon	0.1	0.1	0.1	NR	NT	Propiconazole	0.033	0.1	0.1	NR	NT
Dichlorvos	0.033	0.1	0.033	NR	NT	Propoxur	0.033	0.1	0.033	NR	NT
Dimethoate	0.033	0.1	0.033	NR	NT	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Pyridaben	0.033	0.1	0.1	NR	NT
Ethoprophos	0.033	0.1	0.033	NR	NT	Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Etofenprox	0.033	0.1	0.033	NR	NT	Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Etoxazole	0.033	0.1	0.1	NR	NT	Spiromesifen	0.033	0.1	0.1	NR	NT
Fenhexamid	0.033	0.1	0.1	NR	NT	Spirotetramat	0.033	0.1	0.1	NR	NT
Fenoxycarb	0.033	0.1	0.033	NR	NT	Spiroxamine	0.033	0.1	0.033	NR	NT
Fenpyroximate	0.033	0.1	0.1	NR	NT	Tebuconazole	0.033	0.1	0.1	NR	NT
Fipronil	0.033	0.1	0.033	NR	NT	Thiacloprid	0.033	0.1	0.033	NR	NT
Flonicamid	0.033	0.1	0.1	NR	NT	Thiamethoxam	0.033	0.1	5	NR	NT
Fludioxonil	0.033	0.1	0.1	NR	NT	Trifloxystrobin	0.033	0.1	0.1	NR	NT
Hexythiazox	0.033	0.1	0.1	NR	NT						



LCMS Date Tested: 08/14/2024  
Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
08/14/2024

Bryan Zahakaylo  
Analyst  
08/14/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## ghost. Slurrricane 1G DVP

METRC Sample: 1A4060300005E96000002088; METRC Batch: 1A4060300001AF8000002232

<b>Sample ID:</b> 2408EXL2366.10393	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Slurrricane	Collected: 08/08/2024	<b>MB DISTRIBUTION INC.</b>	<b>Master Extracts Inc.</b>
Matrix: Concentrates & Extracts	Received: 08/09/2024	Lic. # C11-0000576-LIC	Lic. # CDPH-10002326
Type: Vape	Completed: 08/14/2024	22512 CURTISS PL	22512 CURTISS PLACE CALIFORNIA
Sample Size: 10 units; Batch: 500 units	Batch#: SL0824-2232	CALIFORNIA CITY, CA 93505	CITY CA 93505

## Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	15.4688	46.875	5000	ND	Pass
Acetonitrile	15.4688	46.875	410	ND	Pass
Benzene	0.1547	0.4688	1	ND	Pass
Butane	15.4688	46.875	5000	ND	Pass
Chloroform	0.1547	0.4688	1	ND	Pass
1, 2-Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	15.4688	46.875	5000	<LOQ	Pass
Ethyl Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl Alcohol	15.4688	46.875	5000	ND	Pass
Methanol	15.4688	46.875	3000	ND	Pass
Methylene Chloride	0.1547	0.4688	1	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	5000	ND	Pass
Toluene	15.4688	46.875	890	ND	Pass
Total Xylenes (o, m, p)	46.4063	140.625	2170	ND	Pass
Trichloroethylene	0.1547	0.4688	1	ND	Pass



Date Tested: 08/12/2024  
Residual Solvents: HS-GC-MS RS Method RS-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
08/14/2024

Bryan Zahakaylo  
Analyst  
08/14/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.