



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

1 of 3

(505) 242-4210
<http://www.argonlabsnm.com>
Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/01/2025

SAMPLE NAME: FG #1

Matrix: Concentrates & Extracts | Type: Distillate

CULTIVATOR/MANUFACTURER

Business Name: Vana
License: 220005001
Address: 1021 Santa Fe Ave, Clovis, NM 88101

Date Collected: 09/22/2025
Date Received: 09/22/2025
Batch Size: 1 units
Sample Size:



SAMPLE DETAIL

Batch Number: 5382 7210 7941 8394
Sample ID: 25ARG0999.001



Scan QR code to verify authenticity of results.

Cannabinoids Test Results

Complete

91.407%		ND		95.234%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	
THCa	mg/g 0.19	mg/g 0.61	% 0.840	mg/g 8.40	
Δ9-THC	0.20	0.63	90.670	906.70	
Δ8-THC	0.11	0.35	ND	ND	
THCV	0.19	0.60	0.944	9.44	
CBDa	0.10	0.30	ND	ND	
CBD	0.09	0.29	ND	ND	
CBDV	0.16	0.51	ND	ND	
CBN	0.16	0.50	0.970	9.70	
CBGa	0.13	0.41	ND	ND	
CBG	0.16	0.50	1.810	18.10	
CBC	0.18	0.59	ND	ND	
Total THC			91.407	914.070	
Total CBD			ND	ND	
Total			95.234	952.34	

Date Tested: 09/25/2025

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
HPLC-DAD ; Method:SOP ID: ABQ-CN-04

NT
Not Tested
Moisture Content

NT
Not Tested
Water Activity

Pass
Visual Inspection



Hiram Cueto

Hiram Cueto
Laboratory Director
10/01/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

2 of 3

(505) 242-4210
<http://www.argonlabsnm.com>
Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/01/2025

Microbials Test Results

Pass

Analyte	Limit	Result	Status
Aspergillus flavus	CFU/g	CFU/g	
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass

PCR + Fluorescence Detection ; Method: SOP ID: ABQ-MIC-07

VISUAL INSPECTION

Analyte	Limit	Result	Status
Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
Insect Fragment Count	<1/gram	Not Detected	Pass
Mammalia Excreta Count	≤1/gram	Not Detected	Pass
Total Sample Area Covered By Mold	≤2%/gram	Not Detected	Pass
Hair Count	<1/gram	Not Detected	Pass

Date Tested: 09/24/2025

Microscopic Inspection Method: SOP ID: ABQ-VI-01



Hiram Cueto

Hiram Cueto
Laboratory Director
10/01/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.



Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102

3 of 3

(505) 242-4210
<http://www.argonlabsnm.com>
Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING

CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/01/2025

Pesticides Test Results

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.100	0.100	ND	Pass
Acequinocyl	0.500	2.000	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.100	ND	Pass
Etoxazole	0.100	0.100	ND	Pass
Imazalil	0.100	0.100	ND	Pass
Imidacloprid	0.100	0.100	ND	Pass
Myclobutanil	0.100	0.100	ND	Pass
Paclobutrazol	0.040	0.040	ND	Pass
Piperonyl Butoxide	0.500	3.000	ND	Pass
Pyrethrins	0.500	0.500	ND	Pass
Spinosad	0.100	0.100	ND	Pass
Spiromesifen	0.100	0.100	ND	Pass
Spirotetramat	0.100	0.100	ND	Pass
Trifloxystrobin	0.020	0.020	ND	Pass

UHPLC/LC/MS/MS ; Method: SOP ID: ABQ-PST-08



Hiram Cueto

Hiram Cueto
Laboratory Director
10/01/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.